

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: 1628
Issue date: 22/07/2024 Version: 2.0

Rentokil

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : PHOSTOXIN PELLET
UFI : DHM7-0J6F-E10N-AT6Q
Type of product : Plant Protection Product
Authorisation number : MAPP 20950
Product group : Product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Trained professional
Use of the substance/mixture : Grey pellets supplied in an aluminium flask. The phosphine gas, which is produced when the tablets come into contact with moisture has a garlic or carbide odour (although odour is not considered a reliable indicator of presence). Phosphine is a fumigant for professional use against insects which infest stored commodities processed food and animal feed.

Function or use category : Insecticide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

For Great Britain:
Rentokil Initial Supplies
Liverpool
L33 7SR
UK

Product advice line: +44 (0)151 548 5050
Email: products@rentokil.com

For Northern Ireland:
Rentokil Pest Control
Units 5-7
Abbey Enterprise Park
Mill Road
Newtownabbey
Co Antrim
BT36 7BA

Tel: +44 (0)28 9086 5006
Email: products@rentokil.com

1.4. Emergency telephone number

Emergency number : +44 (0)1342 833022 (24/7)
Call NHS 111 or a doctor (For UK/NI only)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Substances and Mixtures which, in contact with water, emit flammable gases, Category 1	H260
Acute toxicity (oral), Category 2	H300
Acute toxicity (dermal), Category 3	H311
Acute toxicity (inhalation:dust,mist) Category 1	H330
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Full text of H- and EUH-statements: see section 16	


Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: aluminium phosphide; Ammonium Carbamate

Hazard statements (CLP)

: H260 - In contact with water releases flammable gases which may ignite spontaneously.
H300+H330 - Fatal if swallowed or if inhaled.
H311 - Toxic in contact with skin.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H400 - Very toxic to aquatic life.

Precautionary statements (CLP)

: P223 - Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P232 - Protect from moisture.
P234 - Keep only in original container.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P335 - Brush off loose particles from skin.
P370+P378 - In case of fire: Use carbon dioxide (CO₂), sand, extinguishing powder for extinction.
P402+P404 - Store in a dry place. Store in a closed container.
P405 - Store locked up.
P501 - Dispose of contents/container to in accordance with local/regional/national requirements..
EUH029 - Contact with water liberates toxic gas.
EUH032 - Contact with acids liberates very toxic gas.
EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

EUH-statements

2.3. Other hazards

Aluminium phosphide meets the T criterion, but not the P or B criterion.

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information : Contains 56% Aluminium phosphide (CAS 20859-73-8) releasing phosphine. Phosphine (hydrogen phosphide) is an extremely flammable gas which is fatal if inhaled, causes severe burns and eye damage and is very toxic to aquatic life. Another reaction product in the presence of moisture is ammonia (CAS 7664-41-7) which is toxic if inhaled and is flammable. It causes severe burns and eye damage, and is very toxic to aquatic life.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
aluminium phosphide (Active substance (Biocide)) substance with a Community workplace exposure limit	CAS-No.: 20859-73-8 EC-No.: 244-088-0 EC Index-No.: 015-004-00-8	56	Water-react. 1, H260 Acute Tox. 2 (Oral), H300 Acute Tox. 3 (Dermal), H311 Acute Tox. 1 (Inhalation), H330 Aquatic Acute 1, H400 (M=100)
Ammonium Carbamate	CAS-No.: 1111-78-0 EC-No.: 214-185-2	20 – 25	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Do not enter contaminated atmosphere, otherwise wear self contained breathing apparatus. Move the person away from the contaminated area to fresh air as soon as possible and remove contaminated or splatter clothing. Call immediately to a doctor, emergency services or NHS 111.

First-aid measures after skin contact : Move the person away from the contaminated area to fresh air as soon as possible and remove contaminated or splatter clothing. If contact on skin, remove powdery residues by brushing. Rinse with plenty of water only when no more powdery residues are visible.

First-aid measures after eye contact : Move the person away from the contaminated area to fresh air as soon as possible and remove contaminated or splatter clothing. If contact in eyes, remove powdery residues using lint –free cloth. Rinse with plenty of water only when no more powdery residues are visible. Do NOT forget to remove any contact lenses.

First-aid measures after ingestion : Do not enter contaminated atmosphere, otherwise wear self contained breathing apparatus. Move the person away from the contaminated area to fresh air as soon as possible and remove contaminated or splatter clothing. If swallowed do NOT induce vomiting unless told to do so by poison control or a health care professional. Call immediately to a doctor, emergency services or NHS 111. - If necessary take the person to a hospital in a well – ventilated car and show the label or packaging whenever possible. - Keep the patient at rest and maintain the body temperature. - If the person is unconscious, turn the patient sideways with the head at a lower level than the rest of the body and the knees bended. - If breathing stops or shows signs of failing administer artificial respiration using oxygen and a mechanical device such as a bag and mask. - Do not use mouth to mouth resuscitation. DO NOT LEAVE THE PERSON ALONE UNDER ANY CIRCUMSTANCES.

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : MISUSE OF THIS PRODUCT CAN BE FATAL. There is no effective treatment for phosphine poisoning. Less than one sixth of a 3g tablet (0.5g) is a fatal dose for a 70kg human, ingested or inhaled. Phosphine directly inhibits cytochrome oxidase in an action similar to that of cyanide. Symptoms of poisoning include epigastric burning vomiting thirst cardiovascular collapse acidosis and hypokalemia (potassium deficiency). IDLH (Immediately Dangerous to Life and Health) = 50ppm Phosphine. Poisoning may cause; Burning of the eyes, skin, mucous membranes, respiratory and gastrointestinal tract. - Nausea, vomiting, diarrhoea and severe abdominal pain. -Headache, cough, tightness and pain in the chest, shortness of breath, dizziness, lethargy, and stupor. -Fatigue, muscle pain, chills, incoordination, seizures and coma. - Pulmonary edema and cardiac arrhythmias. Liver, kidney, and adrenal cortex damage. -Multiorgan failure which may cause death. If any of the mentioned symptoms occurs or if poisoning is suspected: STOP WORK IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, seek medical advice immediately.

4.3. Indication of any immediate medical attention and special treatment needed

WARNING: All patients with exposures should be sent to a Healthcare facility for at least a period of 24 hours observation after inhalation or ingestion. Contact with moisture or moist air: if swallowed the contact with an organism's stomach acid produces PHOSPHINE. Aluminium phosphide releases phosphine gas into the stomach and can cause spontaneous vomiting and the gas can contaminate confined areas like rooms and ambulances. Medical advice for doctors: No specific antidote is known. Treatment for suspected poisoning should be symptomatic and supportive care. UK Medical Professionals should contact the National Poisons Information Service (www.nips.org) for further information. For further advice please call NHS 111. IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE POISON CONTROL CENTRE.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Dry powder. Carbon dioxide.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire hazardous combustion gases are formed, caustic phosphoric acid aerosols (phosphide pentoxide).

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear suitable personal protective equipment.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable and use suitable personal protective clothing and equipment including self contained breathing apparatus (SCBA). All clothing and equipment should be machine washed immediately after use.

6.1.2. For emergency responders

Protective equipment : Wear suitable and use suitable personal protective clothing and equipment including self contained breathing apparatus (SCBA). All clothing and equipment should be machine washed immediately after use.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

PHOSTOXIN PELLETT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: In the event of spillage do not attempt to recover the tablets for re-use. Evacuate the spillage area and ensure the area is well ventilated. Wear and use suitable protective clothing and equipment using SCBA. Prevent dispersion. Clean up the remainder carefully. DO NOT USE WATER FOR CLEANING SPILLAGES. The area should be kept secure and aerated until checked for zero gas concentration using appropriate gas sampling equipment. Remove as hazardous waste according to National or local legislation.

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid any unnecessary contact with the product. Misuse may cause adverse effects on health. Always open the pack in a well-ventilated place. Open the flask immediately before use and ensure it is pointing away from you. Use all of the contents of the flask in one operation. Read the product label carefully for further instructions about handling and usage.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in original container in a cool dry ventilated place out of reach of children and away from food drink and animal feeding stuffs. Protect and keep away from moisture and away from any possible contact with water because of a possible violent reaction and possible flash fire. USE ALL CONTENTS OF THE FLASK. DO NOT RE-SEAL. Spontaneous combustion can arise due to sudden release of phosphine gas if a flask having been opened once is then re-opened.

7.3. Specific end use(s)

Plant protection.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

aluminium phosphide (20859-73-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Phosphine
IOEL TWA	0.14 mg/m³
IOEL STEL	0.28 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

PHOSTOXIN PELLETT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Where exposure may occur, engineering controls, rather than the provision of Personal Protective Equipment (PPE) should be employed. On completion of a risk assessment, the following PPE may be required:

8.2.2. Personal protection equipment

Personal protective equipment:

Wear suitable protective clothing (coveralls) and suitable protective gloves. Wear self contained breathing apparatus or half-mask to at least EN 140 with a combination filter to at least EN 14387) B2 or equivalent dependent on risk assessment. Other protective clothing must also be worn in accordance with HSE Publication Fumigation: Health and Safety guidance for employers and technicians carrying out fumigation operations.

8.2.2.1. Eye and face protection

Eye protection:

When opening the flask, point away from face and other people. Wear eye protection.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Wear mask to at least EN140 with a combination filter to at least EN14387 B2 or equivalent, full face respirator with appropriate filter cartridge or SCBA. Read the product label and contact your PPE supplier for advice on suitable RPE.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Refer to special instructions/safety data sheets.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Grey.
Odour	: garlic-like.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: -87.4 °C Phosphine
Flammability	: Extremely flammable gas.
Explosive limits	: 1.79 – 1.89 vol % Hydrogen phosphide
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 2.01505 g/cm ³ aluminium phosphide

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density	: Not available
Relative vapour density at 20°C	: 1.2 Phosphine
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 1.79 – 1.89 vol % Hydrogen phosphide

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly reactive when in contact with water or acids, produces extremely flammable and very toxic hydrogen phosphide (phosphine), ammonia and carbon dioxide.

10.2. Chemical stability

Avoid contact with water and acids as this will cause aluminium phosphide to decompose in a violent reaction into extremely flammable and very toxic hydrogen phosphide, ammonia and carbon dioxide.

10.3. Possibility of hazardous reactions

Avoid contact with water and acids as this will cause aluminium phosphide to decompose in a violent reaction into extremely flammable and very toxic hydrogen phosphide, ammonia and carbon dioxide.

10.4. Conditions to avoid

Avoid contact with water acids and ambient humidity. Phosphine gas is considered to be corrosive to copper copper alloys silver and gold.

10.5. Incompatible materials

Avoid contact with water and acids as this will cause aluminium phosphide to decompose in a violent reaction into extremely flammable and very toxic hydrogen phosphide, ammonia and carbon dioxide.

10.6. Hazardous decomposition products

Hydrogen phosphide, phosphoric pentoxide and phosphoric acid.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Fatal if swallowed.
Acute toxicity (dermal)	: Toxic in contact with skin.
Acute toxicity (inhalation)	: Inhalation:dust,mist: Fatal if inhaled.

PHOSTOXIN PELLET

LD50 oral rat	8.7 mg/kg Aluminium phosphide
LD50 oral	11.5 mg/kg For product
LD50 dermal rat	500 – 1000 mg/kg Aluminium phosphide
LC50 Inhalation - Rat	0.015 mg/l/4h Hydrogen phosphide (phosphine)

PHOSTOXIN PELLETT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PHOSTOXIN PELLETT

LC50 Inhalation - Rat [ppm]	11 ppm/4h Hydrogen phosphide (phosphine)
ATE CLP (vapours)	0.015 mg/l/4h
ATE CLP (dust,mist)	0.015 mg/l/4h

aluminium phosphide (20859-73-8)

LD50 oral	8.7 mg/kg
LD50 dermal	900 mg/kg
ATE CLP (oral)	5 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	10 ppmv/4h
ATE CLP (vapours)	0.05 mg/l/4h
ATE CLP (dust,mist)	0.005 mg/l/4h

Ammonium Carbamate (1111-78-0)

LD50 oral	681 – 1470 mg/kg
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

PHOSTOXIN PELLETT

LC50 - Fish [1]	0.0097 ppm
EC50 - Crustacea [1]	0.2 mg/l

aluminium phosphide (20859-73-8)

LC50 - Fish [1]	0.0097 mg/l
-----------------	-------------

12.2. Persistence and degradability

PHOSTOXIN PELLETT

Persistence and degradability	Phosphine decomposes in the atmosphere within 5-28h.
-------------------------------	------------------------------------------------------

PHOSTOXIN PELLETT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

PHOSTOXIN PELLETT

Bioaccumulative potential

This product is not expected to bioaccumulate.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

PHOSTOXIN PELLETT

Aluminium phosphide meets the T criterion, but not the P or B criterion.

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: All pesticides must be disposed of as hazardous waste. Never wash out empty flasks with water. Empty the flask completely at site of use by upending and tapping the container so that any remaining powder residue is deposited. Check that the flask is visibly empty. If residue remains, repeat upending and tapping until fully removed. Ensure that the empty flask is kept dry. Disposal of waste flask: Handle and store empty flask as if they still contained product. Flasks must never be rinsed or cleaned. Place the cap back onto the empty flask loosely (this action should only be carried out prior to transporting to designated storage area, flask should NOT be re-capped if they still contain pellets, ensure that all product is used during the pest control treatment), this will help to ensure that any gas generated within the flask during transport from the treatment area is contained. Place the flask into a suitable bag. Label the bag and place the written confirmation that the waste treatment methods have been completed, date and sign. Seal the bag using tie wraps. Once at designated storage area and prior to waste collection, whilst wearing a full-face respirator with appropriate gas filter cartridge (which meets P3 standard for particulates) or SCBA (contact your PPE supplier for advice on suitable PPE and RPE) and whilst wearing suitable gloves and skin protection such as rubber/PVC gloves and coveralls, remove the flask from the sealed bag. Remove caps, taking care and pointing flask away from face and other people, as any generated gas may be present. Invert the flask on a mesh shelf in a secure caged area until all gas has vented from the flask. We recommend venting the flasks for 48 hours. Once venting is complete, re-cap flask and replace into and seal the plastic bag. Record on the written confirmation that the flask has been vented. Store in a designated secure storage area until collection by a licensed waste-disposal contractor. The written confirmation should include the name of the waste disposal contractor and the date they were contacted to collect the flask.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 1397
UN-No. (IMDG)	: UN 1397
UN-No. (IATA)	: UN 1397
UN-No. (ADN)	: UN 1397
UN-No. (RID)	: UN 1397

PHOSTOXIN PELLET
















Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ALUMINIUM PHOSPHIDE
Proper Shipping Name (IMDG)	: ALUMINIUM PHOSPHIDE
Proper Shipping Name (IATA)	: Aluminium phosphide
Proper Shipping Name (ADN)	: ALUMINIUM PHOSPHIDE
Proper Shipping Name (RID)	: ALUMINIUM PHOSPHIDE
Transport document description (ADR)	: UN 1397 ALUMINIUM PHOSPHIDE (MIXTURE), 4.3 (6.1), I, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1397 ALUMINIUM PHOSPHIDE, 4.3 (6.1), I, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1397 Aluminium phosphide, 4.3 (6.1), I, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1397 ALUMINIUM PHOSPHIDE, 4.3 (6.1), I, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1397 ALUMINIUM PHOSPHIDE, 4.3 (6.1), I, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR	
Transport hazard class(es) (ADR)	: 4.3 (6.1)
Danger labels (ADR)	: 4.3, 6.1 :   
IMDG	
Transport hazard class(es) (IMDG)	: 4.3 (6.1)
Danger labels (IMDG)	: 4.3, 6.1 :   
IATA	
Transport hazard class(es) (IATA)	: 4.3 (6.1)
Danger labels (IATA)	: 4.3, 6.1 :   
ADN	
Transport hazard class(es) (ADN)	: 4.3 (6.1)
Danger labels (ADN)	: 4.3, 6.1 :   
RID	
Transport hazard class(es) (RID)	: 4.3 (6.1)
Danger labels (RID)	: 4.3, 6.1 :   

14.4. Packing group

Packing group (ADR)	: I
---------------------	-----

PHOSTOXIN PELLETT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (IMDG)	: I
Packing group (IATA)	: I
Packing group (ADN)	: I
Packing group (RID)	: I

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: WT2
Special provisions (ADR)	: 507
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P403
Mixed packing provisions (ADR)	: MP2
Transport category (ADR)	: 1
Special provisions for carriage - Packages (ADR)	: V1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV23, CV28
Special provisions for carriage - Operation (ADR)	: S20
Tunnel restriction code (ADR)	: E
EAC code	: 4W

Transport by sea

Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P403
Special packing provisions (IMDG)	: PP31
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-N
Stowage category (IMDG)	: E
Properties and observations (IMDG)	: Crystals or powder. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 487
CAO max net quantity (IATA)	: 15kg
ERG code (IATA)	: 4PW

Inland waterway transport

Classification code (ADN)	: WT2
Special provisions (ADN)	: 57, 82
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Provisions for handling and stowage of the cargo (ADN)	: HA08
Number of blue cones/lights (ADN)	: 2

Rail transport

Classification code (RID)	: WT2
---------------------------	-------

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID)	: 507
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P403
Mixed packing provisions (RID)	: MP2
Transport category (RID)	: 1
Special provisions for carriage – Packages (RID)	: W1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW23, CW28
Hazard identification number (RID)	: X462

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	PHOSTOXIN PELLET ; aluminium phosphide	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Plant Protection Products Regulation (1107/2009)

Contains substance(s) listed on the Plant Protection Products list (Regulation EU 1107/2009) concerning placing on the market of plant protection products

Authorisation number : MAPP 20950

Contains : aluminium phosphide (56.00 % (percentage))

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Authorisation number	Modified	
	Issue date	Modified	
15.1	REACH Annex XVII	Added	

Full text of H- and EUH-statements:	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
EUH029	Contact with water liberates toxic gas.
EUH032	Contact with acids liberates very toxic gas.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H260	In contact with water releases flammable gases which may ignite spontaneously.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Water-react. 1	H260	Calculation method
Acute Tox. 2 (Oral)	H300	On basis of test data
Acute Tox. 3 (Dermal)	H311	On basis of test data
Acute Tox. 1 (Inhalation:dust,mist)	H330	On basis of test data
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

PHOSTOXIN PELLET

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aquatic Acute 1	H400	On basis of test data

RI - SDS EU 2022.10.10

Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Neither Rentokil Initial plc nor any of its subsidiaries accepts any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2024) Rentokil Initial plc, Compass House, Manor Royal, Crawley, West Sussex, RH10 9PY. United Kingdom.

Telephone: +44 (0) 1342 833022